

Sebring Airport (KSEF)  
442 Hendricks Field Way  
Sebring FL, 33870, USA

## 2023 PRICE LIST LSA & EXPERIMENTAL

MRSP/USD

Applicable prices from January 1, 2023 to general conditions of sales mentioned in the product documentation.

### Ground adjustable propeller

#### FLASH & FLASH-3 Tractor

Item	Reference	USD
Hub PCD Ø101.6mm (4") Fixation 6 screws CHC M8 with bushes Ø13 or 14mm		
2-blade Inconel FLASH propeller, Right/Left	01-19-001 01-19-002	1 891
3-blade Inconel FLASH-L propeller, Right	01-45-001	2 424
3-blade Inconel FLASH propeller, Right/Left	01-21-001 01-21-002	2 521
3-blade Inconel FLASH-R propeller, Right/Left	01-22-001 01-22-002	3 026
4-blade Inconel FLASH propeller, Right/Left	01-22-009 01-22-010	3 631
3-blade Inconel FLASH-3-L propeller, Right	01-81-041	2 424
3-blade Inconel FLASH-3 propeller, Right	01-81-001	2 521
3-blade Inconel FLASH-3-R propeller, Right	01-81-011	3 026
4-blade Inconel FLASH-3 propeller, Right	01-81-061	3 631

#### FLASH-2 Pusher

Hub PCD Ø101.6mm (4") Fixation 6 screws CHC M8 with bushes Ø13 or 14mm		
3-blade Inconel FLASH-2-L propeller, Left	01-46-002	2 424
3-blade Inconel FLASH-2 propeller, Left	01-23-002	2 521
4-blade Inconel FLASH-2 propeller, Left	01-07-002	3 631
5-blade Inconel FLASH-2 propeller, Left	01-06-001	4 555

#### Spare parts for FLASH & FLASH-2 ground adjustable propeller

Inconel FLASH Right/Left blade	01-63-001 01-63-002	651
Inconel FLASH-R Right/Left blade	01-64-001 01-64-002	819
Inconel FLASH-2 Left blade	01-66-002	651
Inconel FLASH-3 Right blade	01-81-101	651
Inconel FLASH-3-R Right blade	01-81-111	819

## Ground adjustable propeller

### SWIRL-3 Tractor, for geared engine

Item	Reference	USD
Hub PCD Ø75mm Fixation 6 screws CHC M8		
3-blade Inconel SWIRL-3-L, Right	01-29-001	2 137
Hub PCD Ø101.6mm (4") Fixation 6 screws CHC M8 with bushes Ø13 or 14mm		
3-blade Inconel SWIRL-3, Right	01-42-001	2 237
4-blade Inconel SWIRL-3, Right/Left	01-42-061 01-42-062	3 252
4-blade Inconel SWIRL-3-R, Right	01-43-061	3 915

#### Spare parts for SWIRL-3 ground adjustable propeller

Inconel SWIRL-3 Right blade	01-77-001	556
Pale SWIRL-3-R Inconel Droite <i>Inconel SWIRL-3-R Right blade</i>	01-78-001	722

### SWIRL-2 Tractor, for direct drive engine

Moyeu Ø75mm - Fixation 6 vis CHC M8 <i>Hub PCD Ø75mm - Fixation 6 screws CHC M8</i>		
Hélice Tripale SWIRL-2 Inconel Droite <i>3-blade Inconel SWIRL-2, Right</i>	01-29-001	2 421
Hub PCD Ø101.6mm (4") Fixation 6 screws CHC M8 with bushes Ø13 or 14mm		
2-blade Inconel SWIRL-2, Right / Compact hub	01-36-001 01-28-001	1 891
2-blade Inconel SWIRL-2-R, Right / Compact hub	01-31-001 01-37-001	2 033
3-blade Inconel SWIRL-2, Right	01-33-001	2 521
3-blade Inconel SWIRL-2-R, Right	01-32-001	2 735
3-blade Inconel SWIRL-2-X, Right	01-32-100	3 026
4-blade Inconel SWIRL-2-R, Right/Left	01-31-007 01-31-008	3 915
4-blade Inconel SWIRL-2-X, Right	01-31-102	4 305
SAE2 hub PCD Ø120.65mm (4-3/4")		
5-blade Inconel SWIRL-2, Right	01-47-001	4 555

#### Spare parts for SWIRL-2 ground adjustable propeller

Inconel SWIRL-2 Right blade	01-71-001	651
Inconel SWIRL-2-R Right blade	01-72-001	722
Inconel SWIRL-2-X Right blade	01-72-100	819

## Ground adjustable carbon hub

### For FLASH/FLASH-2/SWIRL-3/SWIRL-2

Fixation 6 screws CHC M8

Complete 3-blade FLASH-L hub (Ø75mm)	01-74-001	469
--------------------------------------	-----------	-----

Hub PCD Ø101.6mm (4")

Fixation 6 screws CHC M8 with bushes Ø13 or 14mm

Complete 2-blade Compact FLASH hub (Ø4")	01-73-001	589
--	-----------	-----

Complete 2-blade FLASH hub (Ø4")	01-65-001	589
----------------------------------	-----------	-----

Complete 3-blade FLASH hub (Ø4")	01-65-002	569
----------------------------------	-----------	-----

Complete 4-blade FLASH hub (Ø4")	01-65-007	1 028
----------------------------------	-----------	-------

Complete 5-blade FLASH hub (Ø4")	01-65-006	1 302
----------------------------------	-----------	-------



SAE2 hub PCD Ø120.65mm (4-3/4")

Complete 5-blade FLASH hub [SAE2-D13_8]	01-65-003	1 302
---	-----------	-------

Complete 5-blade FLASH hub [SAE2-AN8]	01-65-004	1 302
---------------------------------------	-----------	-------

Complete 5-blade FLASH hub [SAE2-AN6]	01-65-005	1 302
---------------------------------------	-----------	-------

# In-Flight Hybrid Adjustable propeller

Item	Reference	USD
<h2 style="color: purple;">HYDRAULIC PISTON</h2>		
<h3 style="color: purple;">Constant Speed</h3>		
		
<p>2-blade Inconel VP propeller  <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b>                      + Constant Speed pack [Hydraulic hybrid]</p>	<p>— — —</p>	<p style="text-align: center;"><b>9 631</b></p>
<p>3-blade Inconel VP propeller  <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b>  <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b>                      + Constant Speed pack [Hydraulic hybrid]</p>	<p>— — — —</p>	<p style="text-align: center;"><b>11 371</b></p>
<p>4-blade Inconel VP propeller  <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b>  <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b>                      + Constant Speed pack [Hydraulic hybrid]</p>	<p>— — — — —</p>	<p style="text-align: center;"><b>14 275</b></p>
<h3 style="color: purple;">Manual command</h3>		
		
<p>2-blade Inconel VP propeller  <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b>                      + Hydraulic setting wheel + Pitch visual indicator</p>	<p>— — —</p>	<p style="text-align: center;"><b>8 330</b></p>
<p>3-blade Inconel VP propeller, Right  <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b>  <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b>                      + Hydraulic setting wheel + Pitch visual indicator</p>	<p>— — — —</p>	<p style="text-align: center;"><b>10 070</b></p>
<p>4-blade Inconel VP propeller, Right  <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b>  <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b>                      + Hydraulic setting wheel + Pitch visual indicator</p>	<p>— — — — —</p>	<p style="text-align: center;"><b>12 974</b></p>

Item	Reference	USD
------	-----------	-----

## ELECTRIC ACTUATOR

### Constant Speed



<b>2-blade Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>+ Constant Speed pack [Elec hybrid]</b>	— — —	<b>9 631</b>
<b>3-blade Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Constant Speed pack [Elec hybrid]</b>	— — — — —	<b>11 371</b>
<b>4-blade Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Constant Speed pack [Elec hybrid]</b>	— — — — —	<b>14 275</b>


### Manual command



<b>2-blade Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>+ Electric actuator + Bipolar switch</b>	— — —	<b>8 809</b>
<b>3-blade Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Electric actuator + Bipolar switch</b>	— — — — —	<b>10 549</b>
<b>4-blade Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Electric actuator + Bipolar switch</b>	— — — — —	<b>13 453</b>

# In-Flight Hybrid Adjustable propeller

Item	Reference	USD
<b>FEATHER   REVERSE ELECTRIC ACTUATOR</b>		
<b>Constant Speed</b>		
		
<b>2-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>+ Constant Speed pack [Feather hybrid]</b>	— — —	<b>12 494</b>
<b>3-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Constant Speed pack [Feather hybrid]</b>	— — — — —	<b>14 262</b>
<b>4-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Constant Speed pack [Feather hybrid]</b>	— — — — —	<b>17 139</b>
<b>5-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Constant Speed pack [Feather hybrid]</b>	— — — — —	<b>18 324</b>

Item	Reference	USD
<b>FEATHER   REVERSE ELECTRIC ACTUATOR</b>		
Manual command		
		
<b>2-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>+ Electric actuator + Bipolar switch</b>	— — —	<b>10 782</b>
<b>3-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Electric actuator + Bipolar switch</b>	— — — — —	<b>12 549</b>
<b>4-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Electric actuator + Bipolar switch</b>	— — — — —	<b>15 426</b>
<b>5-blade Feather or Reverse Inconel VP propeller</b> <b>SWIRLBLACK-3-R   FLASHBLACK-R/-3-R Right</b> <b>SWIRLBLACK-3-R   FLASHBLACK-2-R Left</b> <b>+ Electric actuator + Bipolar switch</b>	— — — — —	<b>16 611</b>

## In-Flight Hydraulic Adjustable propeller

Item	Reference	USD
Hub PCD Ø101.6mm (4") Fixation 6 screws CHC M8 with bushes Ø13 or 14mm For use with a compatible JIHOSTROJ Governor		
2-blade Inconel Hydraulicpropeller FLASHBLACK-R   FLASHBLACK-3-R Right	— 01-81-073	6 987
3-blade Inconel Hydraulicpropeller SWIRLBLACK-3-R   FLASHBLACK-R Right FLASHBLACK-2-R Left	— 01-27-004 01-35-006	8 754
3-blade Inconel Hydraulicpropeller FLASHBLACK-3-R Right (for Rotax 915iS)	01-81-133	10 275
3-blade Inconel Hydraulicpropeller SWIRLBLACK-3-R Right FLASHBLACK-2-R Left	01-44-008 01-35-013	11 631
5-blade Inconel Hydraulicpropeller SWIRLBLACK-3-R Right FLASHBLACK-R   FLASHBLACK-3-R Right	— — —	14 522

### Option for In-Flight Hydraulic Adjustable propeller

JIHOSTROJ governor P110-030/A for Rotax 912S/iS/914 (Gearbox 2.43) P110-029/A for Rotax 912 (80hp Gearbox 2.273) P110-060/A for Rotax 915iS (141hp Gearbox 2.54)	01-69-020 01-69-021 01-69-023	2 904
SLPC Single Lever Pack (Electric MT governor / SLPC Single Lever Controller [SCU 9iS from RS Flight Systems] / Mounting kit)	01-69-025	10 686



## In-Flight 100% Electric Adjustable propeller

Item	Reference	USD
------	-----------	-----

For use with Switch or Constant Speed Pack sold separately

### ON-BOARD ELECTRIC MOTOR

2-blade 100% Elec VP propeller SWIRLBLACK-2-R   FLASHBLACK-R Right FLASHBLACK-R Left	01-48-007 01-49-001 01-49-004	8 905
3-blade 100% Elec VP Inconel propeller SWIRLBLACK-2-R   FLASHBLACK-R Right	01-48-006 01-49-002	10 672

### FEATHER | REVERSE ON-BOARD ELECTRIC MOTOR

4-blade Feather/Reverse 100% Elec Inconel SWIRLBLACK-3-R Right SWIRLBLACK-3-R Left	01-44-007 01-44-017	16 111
4-blade Feather/Reverse 100% Elec Inconel SWIRLBLACK-3-R Right	-	19 002

### Option for In-Flight 100% Elec Adjustable propeller

Constant Speed Pack	01-69-024	2 452
Switch Pack	01-69-025	1 343

## Quick Ground Adjustable propeller

### PROPELLER FRONT SETTING

Item	Reference	USD
2-blade MVP Inconel propeller SWIRLBLACK-2-R   FLASHBLACK-R/-3 Right	01-48-010 -	6 600
3-blade MVP Inconel propeller SWIRLBLACK-2-R/-3-R   FLASHBK-R/-3-R Right FLASHBLACK-2-R Left	01-48-002 - 01-41-006 01-81-140 -	7 800
4-blade MVP Inconel propeller SWIRLBLACK-2-R/-3-R   FLASHBK-R/-3-R Right FLASHBLACK-2-R Left	- - - 01-81-146 -	10 000
5-blade MVP Inconel propeller SWIRLBLACK-2-R Right	-	11 000

**Parts for the mounting adaptation of the FLASH propellers**

Item	Reference	USD
<b>912H spacer (ROTAX)</b>		
6 holes Ø13mm on Ø101.6mm		
912H spacer - 3mm	01-58-600	185
912H spacer - 6mm	01-58-601	199
912H spacer - 10mm	01-58-621	206
912H spacer - 15mm	01-58-623	219
912H spacer - 20mm	01-58-602	233
912H spacer - 25mm	01-58-634	240
912H spacer - 30mm	01-58-603	247
912H spacer - 40mm	01-58-716	267
912H spacer - 45mm	01-58-604	281
912H spacer - 50mm	01-58-605	288
912H spacer - 60mm	01-58-606	315
912H spacer - 70mm	01-58-607	322
912H spacer - 75mm	01-58-624	336
912H spacer - 80mm	01-58-608	349
912H spacer - 90mm	01-58-644	370
912H spacer - 100mm	01-58-622	397
912H spacer - 120mm	01-58-609	438
Original pawn ROTAX Ø13 threaded M8 lg 28mm (unit)	01-67-001	21
Pawn DUC Ø13 drilled Ø8 lg 10, 20, 30 or 40mm (unit)	01-67-020 /003/004/005	21

**JABIRU spacer**

6 holes Ø14mm on Ø101.6mm

JABIRU spacer - 3mm	01-58-614	199
JABIRU spacer - 6mm	01-58-615	219
JABIRU spacer - 10mm	01-58-630	233
JABIRU spacer - 20mm	01-58-616	253
JABIRU spacer - 30mm	01-58-617	267
JABIRU spacer - 45mm	01-58-618	301
JABIRU spacer - 50mm	01-58-619	315
JABIRU spacer - 70mm	01-58-620	349
Pawn DUC Ø14 drilled Ø8 lenght 20mm (unit)	01-67-006 01-67-007	21

**Bolts kit for FLASH propeller**

Screw CHC M8

Kit of nuts & bolts 130mm	01-60-005	41
Kit of nuts & bolts 140mm	01-60-006	44
Kit of nuts & bolts 150mm	01-60-007	47
Kit of nuts & bolts 160mm	01-60-008	49
Kit of nuts & bolts 170 / 180mm	01-60-016 01-60-009	55
Kit of nuts & bolts 200mm	01-60-010	60

Item	Reference	USD
------	-----------	-----

## SAE1 adaptor spacer

Adaptation SAE1-AN6 to 6 holes Ø17 on Ø101.6mm (4")

SAE1-AN6 adaptor spacer - 30mm	01-58-610	438
SAE1-AN6 adaptor spacer - 70mm	01-58-611	486
SAE1-AN6 adaptor spacer - 100mm	01-58-612	575

## SAE2 adaptor spacer

Adaptation SAE2 to 6 holes Ø17mm on Ø101.6mm (4")

SAE2-AN6 adaptor spacer - 30mm	01-58-631	644
SAE2-AN8 adaptor spacer - 30mm	01-58-613	644

## SAE2 spacer

SAE2-AN6 spacer - 20mm	01-58-138	411
SAE2-AN8 spacer - 20mm	01-58-128	411
SAE2-AN8 spacer - 30mm	01-58-126	514

## Bolts kit for SAE spacers

AN6-52 bolts kit (FLASH-R)	01-62-005	329
AN8-52 bolts kit (FLASH-R)	01-62-012	329
AN8-60 bolts kit (FLASH-R)	01-62-010	343

## Ground adjustable propeller

### SWIRL End of production

Standard diameter: Ø1730mm (68.1"); Ø1660mm (65.4"); Ø1620mm (63.8"); Ø1520mm (59.8")

Fixation 6 screws CHC M8 on a pitch circle of Ø75mm

Item	Reference	USD
Hub PCD Ø75mm - Fixation 6 screws CHC M8		
2-blade Inconel SWIRL, Right/Left	01-08-001	1 654
	01-08-002	
3-blade Inconel SWIRL, Right/Left	01-05-001	2 210
	01-05-002	
3-blade Inconel SWIRL-R, Right/Left	01-12-001	2 407
	01-12-002	

### Spare parts for SWIRL ground adjustable propeller

Inconel SWIRL blade, Right/Left	01-53-001	556
	01-53-002	
Inconel SWIRL-R blade, Right/Left	01-61-001	622
	01-61-002	

### WINDSPOON End of production

Standard diameter: Ø1727mm (68")

Fixation 6 screws CHC M8 on a pitch circle of Ø75mm

Item	Reference	USD
Hub PCD Ø75mm Fixation 6 screws CHC M8		
2-blade WINDSPOON, Right/Left	01-02-001	1 582
	01-02-002	
2-blade WINDSPOON-R, Right/Left	01-02-003	1 769
	01-02-004	
3-blade WINDSPOON, Right/Left	01-01-001	2 103
	01-01-002	
3-blade WINDSPOON-R, Right/Left	01-01-003	2 382
	01-01-004	

### Spare parts for WINDSPOON ground adjustable propeller

WINDSPOON blade Right/Left	01-50-001	521
	01-50-002	
WINDSPOON-R blade Right/Left	01-50-003	614
	01-50-004	

## Parts for mounting adaptation of SWIRL & WINDSPOON ground adustable propeller

Item	Reference	USD
<b>912H adaptor spacer (ROTAX)</b>		
Adaptation of 6 holes Ø13mm on Ø101.6mm to 6 holes Ø8mm on Ø75mm with 3 pins Ø10mm		
912H adaptor spacer - 10mm	01-58-103	192
912H adaptor spacer - 15mm	01-58-130	199
912H adaptor spacer - 20mm	01-58-137	206
912H adaptor spacer - 30mm	01-58-102	212
912H adaptor spacer - 45mm	01-58-105	233
912H adaptor spacer - 50mm	01-58-108	247
912H adaptor spacer - 60mm	01-58-121	274
912H adaptor spacer - 80mm	01-58-115	363
912H adaptor spacer - 120mm	01-58-129	438

## Spare parts for ground adjustable propeller

Item	Reference	USD
<b>Hub Ø75mm</b>		
Complete 2-blade hub, 2 strokes	01-55-004	575
Complete 2-blade hub, 4 strokes	01-55-006	541
Complete 3-blade hub, 2 strokes	01-55-005	575
Complete 3-blade hub, 4 strokes	01-55-003	541
Half 2-blade hub	01-55-002	267
Half 3-blade hub	01-55-001	267

## Bolts kit

Kit of nuts&bolts 100mm (Rotax 2 strokes)	01-60-001	40
Kit of nuts&bolts S110mm (120mm recut) (Rotax 4st. without spacer)	01-60-004	40
Kit of nuts&bolts 110mm (912H & Jabiru spacers)	01-60-003	36
Kit of nuts&bolts 120mm (912H spacers in 10mm)	01-60-002	38

## Ground adjustable propeller



### COBRA Tractor 160-315hp

Item	Reference	USD
SAE2 bolt pattern   PCD Ø120.65mm (4-3/4") Fixation on SAE2-AN6, SAE2-AN7 or SAE2-AN8 engines		
2-blade Inconel COBRA propeller, Right	01-57-011	3 918
3-blade Inconel COBRA propeller, Right	01-57-010	5 001
2-blade Inconel COBRA-R propeller, Right	01-57-013	4 727
3-blade Inconel COBRA-R propeller, Right	01-57-012	6 028

### Spare parts for COBRA ground adjustable propeller

Inconel COBRA blade, Right	01-57-001	1 082
Inconel COBRA-R blade, Right	01-57-002	1 302
2-blade/3-blade COBRA hub	01-56-102 01-56-103	1 754
2-blade/3-blade COBRA-R hub	01-56-112 01-56-113	2 124
AN6H64A-S bolts kit	01-62-016	356
AN7H64A-S bolts kit	01-62-021	356
AN8H64A-S bolts kit	01-62-006	356

## Specific In-Flight adjustable propeller



**TIGER** Tractor 100-215hp

Item	Reference	USD
<b>100% Elec Variable Pitch Feather/Reverse propeller for Turbine (Turboprop)</b>		
<b>3-blade Inconel 100% Elec TIGERBLACK-R prop. Feather/Reverse, Right</b> Including: - Slipring & Electric brush - Integration on the spinner backplate	-	19 194
<b>4-blade Inconel 100% Elec TIGERBLACK-R prop. Feather/Reverse, Right</b> Including: - Slipring & Electric brush - Integration on the spinner backplate	01-86-002	22 605
<b>5-blade Inconel 100% Elec TIGERBLACK-R prop. Feather/Reverse, Right</b> Including: - Slipring & Electric brush - Integration on the spinner backplate	01-86-003	26 811

### SAE2 bolt pattern | PCD Ø120.65mm (4-3/4")

Fixation on SAE2-AN6, SAE2-AN7 or SAE2-AN8 engines

<b>4-blade Inconel Hydraulic TIGERBLACK-R propeller, Right (Governor not included)</b>	-	16 892
--	---	--------

### Spare parts for **TIGER** variable pitch propeller

<b>Inconel TIGERBLACK-R blade, Right</b>	01-86-001	3 411
--	-----------	-------



## Ground adjustable propeller

### FLAIR-2-R Aluminum hub

Standard diameter : Ø1680mm (66.1")

Integrated 0.79" spacer

Fixation 6 screws AN8 or AN6 on a PCD SAE2 (4-3/4")

Item	Reference	USD
SAE2 hub PCD Ø120.65mm (4-3/4") Fixation on SAE2-AN8 or SAE2-AN6 engines		
Inconel FLAIR-2-R propeller, Right	01-24-101	7 861

## Spare parts for ground adjustable propeller

### Bolts kits

FLAIR-2-R propeller bolts kit (AN8H64A-S)	01-62-006	356
---	-----------	-----

### FLAIR-2-R Carbon hub

Standard diameter : Ø1680mm (66.1")

Integrated 0.79" spacer

Fixation 6 screws AN8 or AN6 on a PCD SAE2 (4-3/4")

Item	Reference	USD
SAE2 hub PCD Ø120.65mm (4-3/4") Fixation on SAE2-AN8 or SAE2-AN6 engines		
Inconel FLAIR-2-L propeller, Right [SAE2-AN8]	01-24-201	5 398
Inconel FLAIR-2-L propeller, Right [SAE2-AN6]	01-24-211	5 398

## Spare parts for ground adjustable propeller

### Bolts kit

FLAIR-2 propeller bolts kit (AN8H60A-S)	01-62-010	343
---	-----------	-----

## Carbon propeller spinner

### Spinner + Bulkhead + Spinner fillets

Item	Reference	USD
------	-----------	-----

#### Carbon spinner Ø210mm

Ø210mm 2-blade Carbon	01-70-090	563
Ø210mm 3-blade Carbon	01-70-091	618
Ø210mm Peinture 2-blade White	01-70-092	755
Ø210mm Peinture 3-blade White	01-70-093	810

#### Carbon spinner Ø210mm

Ø210mm 2-blade Carbon	01-70-228	767
Ø210mm 3-blade Carbon	01-70-226	822
Ø210mm Peinture 2-blade White	01-70-229	767
Ø210mm Peinture 3-blade White	01-70-227	822

#### Carbon spinner Ø250mm

Ø250-L300mm 2-blade Carbon	01-70-094	712
Ø250-L300mm 3-blade Carbon	01-70-089	767
Ø250-L300mm 3-blade Carbon	01-70-233	878
Ø250-L300mm 2-blade White	01-70-095	769
Ø250-L300mm 3-blade White	01-70-085	823
Ø250-L300mm 3-blade Carbon	01-70-195	878
Ø250-L350mm 2-blade Carbon	01-70-098	808
Ø250-L350mm 3-blade Carbon	01-70-096	863
Ø250-L350mm 3-blade Carbon	01-70-275	918
Ø250-L350mm 2-blade White	01-70-097	808
Ø250-L350mm 3-blade White	01-70-083	863
Ø250-L350mm 3-blade White	01-70-191	918

#### Carbon spinner Ø260mm

Ø260mm 2-blade Carbon	-	737
Ø260mm 3-blade Carbon	01-70-210	792
Ø260mm 3-blade Carbon	01-70-212	847
Ø260mm 2-blade Carbon	01-70-243	737
Ø260mm 3-blade Carbon	01-70-082	792
Ø260mm 3-blade Carbon	01-70-081	847
Ø260mm 3-blade Carbon	01-70-285	848
Ø260mm 3-blade Carbon	01-70-286	903

## Spinner + Bulkhead + Spinner fillets

Item	Reference	USD
------	-----------	-----

### Carbon spinner Ø270mm

Ø270mm 2-blade White	01-70-245	904
Ø270mm 3-blade White	01-70-244	959
Ø270mm 3-blade White	01-70-287	1 014

### Carbon spinner Ø290mm

Ø290mm 2-blade White	-	1 023
Ø290mm 3-blade White	01-70-086	1 078
Ø290mm 3-blade White	01-70-202	1 133
Ø290mm 3-blade White	01-70-280	1 188

### Carbon spinner Ø300mm

Ø300mm 2-blade White	01-70-235	1 055
Ø300mm 3-blade White	01-70-099	1 110
Ø300mm 3-blade White	01-70-230	1 165
Ø300mm 5-blade White	01-70-203	1 219

### Carbon spinner Ø300mm

Ø300mm 2-blade White	-	1 206
Ø300mm 3-blade White	01-70-256	1 260
Ø300mm 3-blade White	01-70-262	1 315
Ø300mm 5-blade White	-	1 370

### Carbon spinner Ø340mm

Ø340mm 2-blade White	-	1 466
Ø340mm 3-blade White	01-70-250	1 521
Ø340mm 3-blade White	01-70-088	1 576
Ø340mm 5-blade White	-	1 630

### Carbon spinner Ø345mm

Ø345mm White	-	On request
--------------	---	------------

### Carbon spinner Ø345mm

Spinner fillet (Unit price)	01-70-059	55
-----------------------------	-----------	----

## Accessories

Item	Reference	USD
------	-----------	-----

### Accessories

Adjusting-tool for DUC propellers & others	01-80-001	130
Digital adjusting-tool for DUC propellers & others	01-80-016	247
Neopren cover protection FLASH-SWIRL/WINDSPOON	01-80-002 01-80-006	32
Cleaning kit	01-80-003	49
Repair kit for DUC blades	01-80-004	40

### Pilot supplies

Official DUC cap	01-90-001	21
Official DUC shirt (L, XL, XXL)	01-90-003	69
Official DUC Softshell jacket (S, M, L, XL)	01-90-005	110